



Curved modular sofa with upholstered seat and backrest. Closed curved version.



|              | Back height | Seat height | Width | Depth |
|--------------|-------------|-------------|-------|-------|
| Measures mm. | 725         | 430         | 1.200 | 840   |

**Frame** Solid beech interior frame. 4-legged polypropylene base.

**Seat** Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m<sup>3</sup> and 40 kg/m<sup>3</sup>.

**Back** Beech plywood shell with flexible flame retardant foam with density between 25 kg/m<sup>3</sup> and 40 kg/m<sup>3</sup>.

**Other materials** Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

**Leather** **Faux Leather / Ecopiel**

- 1 Valencia
- 2 Silvertex

**Leather / Piel**

- L1** High grade cow leather  
Piel de vaca de 1ª categoría
- L3** Polished full grain leather  
Plena flor pulida
- L6** Aniline leather batique-effect.  
Scandinavian cattle.  
Piel anilina efecto batique.  
Ganado escandinavo.

#### Fabrics

##### Fabrics / Telas

- |  |   |  |   |   |
|--|---|--|---|---|
| <b>1</b> Soft-fiber<br>Jacquard One<br>Jacquard Three<br>Citadel<br>Sand<br>Era<br>Gravity<br>Rivet<br>Urban | <b>3</b> Jacquard Four<br>Medley<br>Revive 1<br>Maglia<br>Natte<br>Main Line Flax<br>Loom Two<br>Reflect<br>Mezzo                       | <b>5</b> Silk<br>Synergy<br>Step<br>Step Melange<br>Blazer<br>Melange Nap<br>Glow<br>Chili<br>Noma<br>Nitto<br>Re-wool | <b>8</b> Capture<br>Fiord 2<br>Tonus 4<br>Divina 3<br>Lopi<br>Domino<br>Ultraleather Original<br>Ultraleather Linen<br>Ultraleather Pearlized   | <b>9</b> Ultraleather Promessa Outdoor<br>Ultratech Dwell<br>Ultratech EcoTech                              |
| <b>2</b> Jacquard Two<br>Solid & Stripes<br>Loom One<br>Circular One Pure Eco                                | <b>4</b> Jacquard 4 Special<br>Nexus<br>Field 2<br>Floyd<br>Remix 3<br>Heritage<br>Savane<br>Loom Three<br>Loom Four<br>Cura<br>Oceanic | <b>6</b> Go check<br>Swing<br>Chartres<br>Loom Five<br>Zori<br>Patio   | <b>9</b> Divina MD<br>Divina Melange 3<br>Hallingdal 65<br>Steelcut Trio 3<br>Brisa Original<br>Brisa Distressed<br>Brisa Fresco<br>Brisa Mokume<br>Ultraleather Cora Outdoor<br>Ultraleather Pony<br>Ultraleather Pro<br>Ultraleather Promessa | <b>10</b> Brisa Distressed Outdoor<br>Ultraleather Distressed Outdoor<br>Ultratech Helix<br>Ultratech Wired |
|  |   | <b>7</b> Canvas 2<br>Rime<br>Select<br>Clara 2   |   | <b>11</b> Ultraleather Reef Pro<br>Ultraleather Volar Bio<br>Ultratech Cove                                 |

#### Resistance and Quality

ISO 9001  
UNE-EN 16139

#### Fireproof

BS 5852 Part 2 Crib 5  
California Technical Bulletin 117  
UNE-EN 1021-1 & 2  
UNI 9175 (class 1 IM)

#### Sustainability

Indoor Air Quality-Advantage Gold  
ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard



Lounge chair with upholstered seat and back.



|              | Back height | Seat height | Width | Depth |
|--------------|-------------|-------------|-------|-------|
| Measures mm. | 725         | 430         | 950   | 800   |

|                        |  |
|------------------------|--|
| <b>Frame</b>           | Solid beech interior frame. 4-legged polypropylene base.   |
| <b>Seat</b>            | Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> . |
| <b>Back</b>            | Beech plywood shell with flexible flame retardant foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .  |
| <b>Arms</b>            | Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .   |
| <b>Other materials</b> | Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.  |

|                |  |
|----------------|--|
| <b>Leather</b> | <p><b>Faux Leather / Ecopiel</b></p> <p>1 Valencia<br/>2 Silvertex</p> <p><b>Leather / Piel</b></p> <p><b>L1</b> High grade cow leather<br/>Piel de vaca de 1ª categoria</p> <p><b>L3</b> Polished full grain leather<br/>Plena flor pulida</p> <p><b>L6</b> Aniline leather batique-effect.<br/>Scandinavian cattle.<br/>Piel anilina efecto batique.<br/>Ganado escandinavo.</p> |
|----------------|--|

#### Fabrics

##### Fabrics / Telas

- |  |   |  |   |   |
|--|---|--|---|---|
| <b>1</b> Soft-fiber<br>Jacquard One<br>Jacquard Three<br>Citadel<br>Sand<br>Era<br>Gravity<br>Rivet<br>Urban | <b>3</b> Jacquard Four<br>Medley<br>Revive 1<br>Maglia<br>Natte<br>Main Line Flax<br>Loom Two<br>Reflect<br>Mezzo                       | <b>5</b> Silk<br>Synergy<br>Step<br>Step Melange<br>Blazer<br>Melange Nap<br>Glow<br>Chili<br>Noma<br>Nitto<br>Re-wool | <b>8</b> Capture<br>Fiord 2<br>Tonus 4<br>Divina 3<br>Lopi<br>Domino<br>Ultraleather Original<br>Ultraleather Linen<br>Ultraleather Pearlized   | <b>9</b> Ultraleather Promessa Outdoor<br>Ultratech Dwell<br>Ultratech EcoTech                              |
| <b>2</b> Jacquard Two<br>Solid & Stripes<br>Loom One<br>Circular One Pure Eco                                | <b>4</b> Jacquard 4 Special<br>Nexus<br>Field 2<br>Floyd<br>Remix 3<br>Heritage<br>Savane<br>Loom Three<br>Loom Four<br>Cura<br>Oceanic | <b>6</b> Go check<br>Swing<br>Chartres<br>Loom Five<br>Zori<br>Patio   | <b>9</b> Divina MD<br>Divina Melange 3<br>Hallingdal 65<br>Steelcut Trio 3<br>Brisa Original<br>Brisa Distressed<br>Brisa Fresco<br>Brisa Mokume<br>Ultraleather Cora Outdoor<br>Ultraleather Pony<br>Ultraleather Pro<br>Ultraleather Promessa | <b>10</b> Brisa Distressed Outdoor<br>Ultraleather Distressed Outdoor<br>Ultratech Helix<br>Ultratech Wired |
|  |   | <b>7</b> Canvas 2<br>Rime<br>Select<br>Clara 2   |   | <b>11</b> Ultraleather Reef Pro<br>Ultraleather Volar Bio<br>Ultratech Cove                                 |

#### Resistance and Quality

ISO 9001  
UNE-EN 16139

#### Fireproof

BS 5852 Part 2 Crib 5

#### Sustainability

FSC  
Indoor Air Quality-Advantage Gold  
ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard



Sofa with upholstered seat and back.



|              | Back height | Seat height | Width | Depth |
|--------------|-------------|-------------|-------|-------|
| Measures mm. | 725         | 430         | 620   | 800   |

|                        |  |
|------------------------|--|
| <b>Frame</b>           | Solid beech interior frame. 4-legged polypropylene base.   |
| <b>Seat</b>            | Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> . |
| <b>Back</b>            | Beech plywood shell with flexible flame retardant foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .  |
| <b>Arms</b>            | Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .   |
| <b>Other materials</b> | Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.  |

|                |  |
|----------------|--|
| <b>Leather</b> | <p><b>Faux Leather / Ecopiel</b></p> <p>1 Valencia<br/>2 Silvertex</p> <p><b>Leather / Piel</b></p> <p><b>L1</b> High grade cow leather<br/>Piel de vaca de 1ª categoria</p> <p><b>L3</b> Polished full grain leather<br/>Plena flor pulida</p> <p><b>L6</b> Aniline leather batique-effect.<br/>Scandinavian cattle.<br/>Piel anilina efecto batique.<br/>Ganado escandinavo.</p> |
|----------------|--|

#### Fabrics

##### Fabrics / Telas

- |  |   |  |   |   |
|--|---|--|---|---|
| <b>1</b> Soft-fiber<br>Jacquard One<br>Jacquard Three<br>Citadel<br>Sand<br>Era<br>Gravity<br>Rivet<br>Urban | <b>3</b> Jacquard Four<br>Medley<br>Revive 1<br>Maglia<br>Natte<br>Main Line Flax<br>Loom Two<br>Reflect<br>Mezzo                       | <b>5</b> Silk<br>Synergy<br>Step<br>Step Melange<br>Blazer<br>Melange Nap<br>Glow<br>Chili<br>Noma<br>Nitto<br>Re-wool | <b>8</b> Capture<br>Fiord 2<br>Tonus 4<br>Divina 3<br>Lopi<br>Domino<br>Ultraleather Original<br>Ultraleather Linen<br>Ultraleather Pearlized   | <b>9</b> Ultraleather Promessa Outdoor<br>Ultratech Dwell<br>Ultratech EcoTech                              |
| <b>2</b> Jacquard Two<br>Solid & Stripes<br>Loom One<br>Circular One Pure Eco                                | <b>4</b> Jacquard 4 Special<br>Nexus<br>Field 2<br>Floyd<br>Remix 3<br>Heritage<br>Savane<br>Loom Three<br>Loom Four<br>Cura<br>Oceanic | <b>6</b> Go check<br>Swing<br>Chartres<br>Loom Five<br>Zori<br>Patio   | <b>9</b> Divina MD<br>Divina Melange 3<br>Hallingdal 65<br>Steelcut Trio 3<br>Brisa Original<br>Brisa Distressed<br>Brisa Fresco<br>Brisa Mokume<br>Ultraleather Cora Outdoor<br>Ultraleather Pony<br>Ultraleather Pro<br>Ultraleather Promessa | <b>10</b> Brisa Distressed Outdoor<br>Ultraleather Distressed Outdoor<br>Ultratech Helix<br>Ultratech Wired |
|  |   | <b>7</b> Canvas 2<br>Rime<br>Select<br>Clara 2   | <b>11</b> Ultraleather Reef Pro<br>Ultraleather Volar Bio<br>Ultratech Cove   |   |

#### Resistance and Quality

ISO 9001  
UNE-EN 16139

#### Fireproof

BS 5852 Part 2 Crib 5

#### Sustainability

FSC  
Indoor Air Quality-Advantage Gold  
ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard



Corner sofa (right side) with upholstered seat and back.



|              | Back height | Seat height | Width | Depth |
|--------------|-------------|-------------|-------|-------|
| Measures mm. | 725         | 430         | 800   | 800   |

|                        |  |
|------------------------|--|
| <b>Frame</b>           | Solid beech interior frame. 4-legged polypropylene base.   |
| <b>Seat</b>            | Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> . |
| <b>Back</b>            | Beech plywood shell with flexible flame retardant foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .  |
| <b>Arms</b>            | Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .   |
| <b>Other materials</b> | Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.  |

|                |  |
|----------------|--|
| <b>Leather</b> | <b>Faux Leather / Ecopiel</b>  |
|                | <ul style="list-style-type: none"> <li>1 Valencia</li> <li>2 Silvertex</li> </ul>  |
|                | <b>Leather / Piel</b>  |
|                | <ul style="list-style-type: none"> <li>L1 High grade cow leather<br/>Piel de vaca de 1ª categoría</li> <li>L3 Polished full grain leather<br/>Plena flor pulida</li> <li>L6 Aniline leather batique-effect.<br/>Scandinavian cattle.<br/>Piel anilina efecto batique.<br/>Ganado escandinavo.</li> </ul> |

#### Fabrics

##### Fabrics / Telas

- |  |   |  |   |   |
|--|---|--|---|---|
| <b>1</b> Soft-fiber<br>Jacquard One<br>Jacquard Three<br>Citadel<br>Sand<br>Era<br>Gravity<br>Rivet<br>Urban | <b>3</b> Jacquard Four<br>Medley<br>Revive 1<br>Maglia<br>Natte<br>Main Line Flax<br>Loom Two<br>Reflect<br>Mezzo                       | <b>5</b> Silk<br>Synergy<br>Step<br>Step Melange<br>Blazer<br>Melange Nap<br>Glow<br>Chili<br>Noma<br>Nitto<br>Re-wool | <b>8</b> Capture<br>Fiord 2<br>Tonus 4<br>Divina 3<br>Lopi<br>Domino<br>Ultraleather Original<br>Ultraleather Linen<br>Ultraleather Pearlized   | <b>9</b> Ultraleather Promessa Outdoor<br>Ultratech Dwell<br>Ultratech EcoTech                              |
| <b>2</b> Jacquard Two<br>Solid & Stripes<br>Loom One<br>Circular One Pure Eco                                | <b>4</b> Jacquard 4 Special<br>Nexus<br>Field 2<br>Floyd<br>Remix 3<br>Heritage<br>Savane<br>Loom Three<br>Loom Four<br>Cura<br>Oceanic | <b>6</b> Go check<br>Swing<br>Chartres<br>Loom Five<br>Zori<br>Patio   | <b>9</b> Divina MD<br>Divina Melange 3<br>Hallingdal 65<br>Steelcut Trio 3<br>Brisa Original<br>Brisa Distressed<br>Brisa Fresco<br>Brisa Mokume<br>Ultraleather Cora Outdoor<br>Ultraleather Pony<br>Ultraleather Pro<br>Ultraleather Promessa | <b>10</b> Brisa Distressed Outdoor<br>Ultraleather Distressed Outdoor<br>Ultratech Helix<br>Ultratech Wired |
|  |   | <b>7</b> Canvas 2<br>Rime<br>Select<br>Clara 2   |   | <b>11</b> Ultraleather Reef Pro<br>Ultraleather Volar Bio<br>Ultratech Cove                                 |

#### Resistance and Quality

ISO 9001  
UNE-EN 16139

#### Fireproof

BS 5852 Part 2 Crib 5

#### Sustainability

FSC  
Indoor Air Quality-Advantage Gold  
ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard





Corner sofa with chaise lounge (right side) and upholstered seat and back.



|              | Back height | Seat height | Width | Depth |
|--------------|-------------|-------------|-------|-------|
| Measures mm. | 725         | 430         | 965   | 1.440 |

|                        |  |
|------------------------|--|
| <b>Frame</b>           | Solid beech interior frame. 4-legged polypropylene base.   |
| <b>Seat</b>            | Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> . |
| <b>Back</b>            | Beech plywood shell with flexible flame retardant foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .  |
| <b>Arms</b>            | Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .   |
| <b>Other materials</b> | Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.  |

|                |  |
|----------------|--|
| <b>Leather</b> | <p><b>Faux Leather / Ecopiel</b></p> <p>1 Valencia<br/>2 Silvertex</p> <p><b>Leather / Piel</b></p> <p><b>L1</b> High grade cow leather<br/>Piel de vaca de 1ª categoria</p> <p><b>L3</b> Polished full grain leather<br/>Plena flor pulida</p> <p><b>L6</b> Aniline leather batique-effect.<br/>Scandinavian cattle.<br/>Piel anilina efecto batique.<br/>Ganado escandinavo.</p> |
|----------------|--|

#### Fabrics

##### Fabrics / Telas

- |  |   |  |   |   |
|--|---|--|---|---|
| <b>1</b> Soft-fiber<br>Jacquard One<br>Jacquard Three<br>Citadel<br>Sand<br>Era<br>Gravity<br>Rivet<br>Urban | <b>3</b> Jacquard Four<br>Medley<br>Revive 1<br>Maglia<br>Natte<br>Main Line Flax<br>Loom Two<br>Reflect<br>Mezzo                       | <b>5</b> Silk<br>Synergy<br>Step<br>Step Melange<br>Blazer<br>Melange Nap<br>Glow<br>Chili<br>Noma<br>Nitto<br>Re-wool | <b>8</b> Capture<br>Fiord 2<br>Tonus 4<br>Divina 3<br>Lopi<br>Domino<br>Ultraleather Original<br>Ultraleather Linen<br>Ultraleather Pearlized   | <b>9</b> Ultraleather Promessa Outdoor<br>Ultratech Dwell<br>Ultratech EcoTech                              |
| <b>2</b> Jacquard Two<br>Solid & Stripes<br>Loom One<br>Circular One Pure Eco                                | <b>4</b> Jacquard 4 Special<br>Nexus<br>Field 2<br>Floyd<br>Remix 3<br>Heritage<br>Savane<br>Loom Three<br>Loom Four<br>Cura<br>Oceanic | <b>6</b> Go check<br>Swing<br>Chartres<br>Loom Five<br>Zori<br>Patio   | <b>9</b> Divina MD<br>Divina Melange 3<br>Hallingdal 65<br>Steelcut Trio 3<br>Brisa Original<br>Brisa Distressed<br>Brisa Fresco<br>Brisa Mokume<br>Ultraleather Cora Outdoor<br>Ultraleather Pony<br>Ultraleather Pro<br>Ultraleather Promessa | <b>10</b> Brisa Distressed Outdoor<br>Ultraleather Distressed Outdoor<br>Ultratech Helix<br>Ultratech Wired |
|  |   | <b>7</b> Canvas 2<br>Rime<br>Select<br>Clara 2   |   | <b>11</b> Ultraleather Reef Pro<br>Ultraleather Volar Bio<br>Ultratech Cove                                 |

#### Resistance and Quality

ISO 9001  
UNE-EN 16139

#### Fireproof

BS 5852 Part 2 Crib 5

#### Sustainability

FSC  
Indoor Air Quality-Advantage Gold  
ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard